

Embedded Edge Computing AI Platform


| NVIDIA Jetson series

| Carrier Board/Embedded System/Developer System

| Graphics Card/AI workstation/Server

 **PLink-AI** | 品立科技

AI 连接 世界 之美



Introduction

Beijing Plink Ai Technology Co.,LTD.

Expert in one-stop solutions from cloud to edge in intelligent computing

A high-tech company integrating research and development, production and sales, focusing on AI intelligent device solutions

CORE IDEOLOGY

Adhere to the "innovation + efficiency + intelligence", combine products with application industries, and explore cloud-to-end integrated solutions



Busniess

Our products are sold in more than 40 countries and regions

“ We are ”



NVIDIA NPN Elite Partner ”



Intellectual Property

- 12 software property
- 2 trademark
- 6 patent for invention





Cloud-to-end hardware platform

- 1 NVIDIA Jetson series
- 2 GPU card&Server&AI workstation
- 3 Self-Developed Embedded System
- 4 Edge Devices



NVIDIA Jetson Module



Carrier Board&Developer Kit



Edge Devices



GPU Card




Server&AI workstation



PLink-AI Edge Computing Platform

PLink-AI based on the excellent computing power of NVIDIA Jetson series to greatly shorten the end-to-end solution deployment cycle of customer AI applications through the integration of intelligent perception and machine vision, allowing customers to focus on the realization of application scenarios and accelerate product market. At the same time, product consistency can ensure that customers avoid secondary development in the product iteration process, and help customer enterprises to continue to maintain a leading position in the industry.



NVIDIA Jetson Module & Developer Kit

NVIDIA Partner Network Locator

Partner Type: OEM x Partner Type: Solutions Integration Partner x Partner Competency: Embedded Compute x Country: CN x Clear All x

Reset Filters

Partner Type ^

- Cloud Partner
- Data Center Provider
- Distributor
- Global Systems Integrator
- Independent Software Vendor
- OEM
- Services Delivery Partner-Cloud Services
- Services Delivery Partner-Education Services
- Services Delivery Partner-Professional Services
- Solution Advisor - Consultant
- Solution Provider

Display 15 per page 1 - 13 of 13 items

 Beijing ChipStart Information Technology Co., Ltd. Partner Type: Solutions Integration Partner Competencies: Embedded Compute	 Beijing AI&IT Dynamic Technology, Ltd. Partner Type: Solutions Integration Partner Competencies: Embedded Compute	 PLink-AI Beijing Plink AI Technology Co Ltd Partner Type: Solutions Integration Partner Competencies: Embedded Compute
---	---	--



The NVIDIA Jetson Family

For AI at the Edge and Autonomous Machines

Next-Gen: Jetson Orin

JETSON Orin Nano
4GB/8GB
20/40 TOPS (INT8)




JETSON Orin Nano
Developer Kit
40 TOPS (INT8)



JETSON Orin NX
8G/16G
70/100 TOPS (INT8)



JETSON AGX Orin
64G/Industrial/32G
275/248/200 TOPS (INT8)




JETSON AGX Orin
Developer Kit
275 TOPS (INT8)




Jetson Nano
4G
0.5 TFLOPS (FP16)




Jetson TX2 NX
1.33 TFLOPS (FP16)




Jetson TX2
4B/8G/Industrial
1.33/1.26 TFLOPS (FP16)



Jetson Xavier NX
8G/16G
21 TOPS (INT8)




Jetson AGX Xavier
32G/64B/Industrial
32/30 TOPS (INT8)



Module Specifications

JETSON AGX Orin Series



Jetson AGX Orin
Developer Kit

Jetson AGX Orin
64GB

Jetson AGX Orin
Industrial

Jetson AGX Orin
32GB

	Jetson AGX Orin Developer Kit	Jetson AGX Orin 64GB	Jetson AGX Orin Industrial	Jetson AGX Orin 32G
AI Performance	275 TOPS		248 TOPS	200 TOPS
GPU	2048-core NVIDIA Ampere architecture GPU with 64 Tensor Cores			1792-core NVIDIA Ampere architecture GPU with 56 Tensor Cores
CPU	12-core Arm® Cortex®-A78AE v8.2 64-bit CPU 3MB L2 + 6MB L3			8-core Arm® Cortex®-A78AE v8.2 64-bit CPU 2MB L2 + 4MB L3
Memory	64GB 256-bit LPDDR5 204.8GB/s		64GB 256-bit LPDDR5 (+ ECC) 204.8GB/s	32GB 256-bit LPDDR5 204.8GB/s
Storage	64GB eMMC 5.1			
Video Encode	2x 4K60 (H.265) 4x 4K30 (H.265) 8x 1080p60 (H.265) 16x 1080p30 (H.265)		1x 4K60 (H.265) 3x 4K30 (H.265) 7x 1080p60 (H.265) 15x 1080p30 (H.265)	1x 4K60 (H.265) 3x 4K30 (H.265) 6x 1080p60 (H.265) 12x 1080p30 (H.265)
Video Decode	1x 8K30 (H.265) 3x 4K60 (H.265) 7x 4K30 (H.265) 11x 1080p60 (H.265) 22x 1080p30 (H.265)		1x 8K30 (H.265) 3x 4K60 (H.265) 7x 4K30 (H.265) 11x 1080p60 (H.265) 23x 1080p30 (H.265)	1x 8K30 (H.265) 2x 4K60 (H.265) 4x 4K30 (H.265) 9x 1080p60 (H.265) 18x 1080p30 (H.265)
CSI Camera	16-lane MIPI CSI-2 connector	Up to 6 cameras (16 via virtual channels) 16 lanes MIPI CSI-2 D-PHY 2.1 (up to 40Gbps) C-PHY 2.0 (up to 164Gbps)		
PCIe*	x16 PCIe slot supporting x8 PCIe Gen4 M.2 Key M slot with x4 PCIe Gen4 M.2 Key E slot with x1 PCIe Gen4	Up to 2 x8 + 1 x4 + 2 x1 (PCIe Gen4, Root Port, & Endpoint)		
USB*	USB Type-C connector: 2x USB 3.2 Gen2 USB Type-A connector: 2x USB 3.2 Gen2, 2x USB 3.2 Gen1 USB Micro-B connector: USB 2.0	3x USB 3.2 Gen2 (10 Gbps) 4x USB 2.0		
Networking*	RJ45 connector with up to 10 GbE	1x GbE , 1x 10GbE		
Power	15W - 60W		15W - 75W	15W - 40W
Mechanical	110mm x 110mm x 71.65mm		100mm x 87mm	

JETSON Orin NX Series



Jetson Orin NX
16GB

Jetson Orin NX
8GB

	Jetson Orin NX 16GB	Jetson Orin NX 8GB
AI Performance	100 TOPS	70 TOPS
GPU	1024-core NVIDIA Ampere architecture GPU with 32 Tensor Cores	
CPU	8-core Arm® Cortex®-A78AE v8.2 64-bit CPU 2MB L2 + 4MB L3	6-core Arm® Cortex®-A78AE v8.2 64-bit CPU 1.5MB L2 + 4MB L3
Memory	16GB 128-bit LPDDR5 102.4GB/s	8GB 128-bit LPDDR5 102.4GB/s
Storage	- (Supports external NVMe)	
Video Encode	1x 4K60 (H.265) 3x 4K30 (H.265) 6x 1080p60 (H.265) 12x 1080p30 (H.265)	
Video Decode	1x 8K30 (H.265) 2x 4K60 (H.265) 4x 4K30 (H.265) 9x 1080p60 (H.265) 18x 1080p30 (H.265)	
CSI Camera	Up to 4 cameras (8 via virtual channels***) 8 lanes MIPI CSI-2 D-PHY 2.1 (up to 20Gbps)	
PCIe*	1 x4 + 3 x1 (PCIe Gen4, Root Port, & Endpoint)	Up to 2 x8 + 1 x4 + 2 x1 (PCIe Gen4, Root Port, & Endpoint)
USB*	3x USB 3.2 Gen2 (10 Gbps) 3x USB 2.0	3x USB 3.2 Gen2 (10 Gbps) 4x USB 2.0
Networking*	1x GbE	
Power	10W - 25W	10W - 20W
Mechanical	69.6mm x 45mm 260-pin SO-DIMM connector	

JETSON Orin Nano Series




Jetson Orin Nano
Developer Kit

Jetson Orin Nano
8GB

Jetson Orin Nano
4GB

	Jetson Orin Nano Developer Kit	Jetson Orin Nano 8GB	Jetson Orin Nano 4GB
AI Performance	40 TOPS		20 TOPS
GPU	1024-core NVIDIA Ampere architecture GPU with 32 Tensor Cores		512-core NVIDIA Ampere architecture GPU with 16 Tensor Cores
CPU	6-core Arm® Cortex®-A78AE v8.2 64-bit CPU 1.5MB L2 + 4MB L3		
Memory	8GB 128-bit LPDDR5 68 GB/s		4GB 64-bit LPDDR5 34 GB/s
Storage	- (SD Card Slot & external NVMe via M.2 Key M)	- (Supports external NVMe)	
Video Encode	1080p30 supported by 1-2 CPU cores		
Video Decode	1x 4K60 (H.265) 2x 4K30 (H.265) 5x 1080p60 (H.265) 11x 1080p30 (H.265)		
CSI Camera	2x MIPI CSI-2 22-pin Camera Connectors	Up to 4 cameras (8 via virtual channels***) 8 lanes MIPI CSI-2 D-PHY 2.1 (up to 20Gbps)	
PCIe*	M.2 Key M slot with x4 PCIe Gen3 M.2 Key M slot with x2 PCIe Gen3 M.2 Key E slot	1 x4 + 3 x1 (PCIe Gen3, Root Port, & Endpoint)	
USB*	USB Type-A Connector: 4x USB 3.2 Gen2 USB Type-C Connector for UFP	3x USB 3.2 Gen2 (10 Gbps) 3x USB 2.0	
Networking*	1xGbE Connector		1xGbE
Power	7W - 15W		7W - 10W
Mechanical	100 mm x 79 mm x 21 mm	69.6mm x 45mm 260-pin SO-DIMM connector	

JETSON Xavier Series



Jetson AGX Xavier
64GB

Jetson AGX Xavier
Industrial


Jetson AGX Xavier
32GB

Jetson Xavier NX
16GB

Jetson Xavier NX
8GB

	Jetson AGX Xavier 64GB	Jetson AGX Xavier 32GB	Jetson AGX Xavier Industrial	Jetson Xavier NX 16GB	Jetson Xavier NX 8GB
AI Performance	32 TOPS		30 TOPS	21 TOPS	
GPU	NVIDIA Volta architecture with 512 NVIDIA CUDA cores and 64 Tensor cores			384-core NVIDIA Volta™ architecture GPU with 48 Tensor Cores	
CPU	8-core NVIDIA Carmel Armv8.2 64-bit CPU 8MB L2 + 4MB L3			6-core NVIDIA Carmel Arm®v8.2 64-bit CPU 6MB L2 + 4MB L3	
Memory	64GB 256-bit LPDDR4x 136.5GB/s	32GB 256-bit LPDDR4x 136.5GB/s	32GB 256-bit LPDDR4x (ECC support) 136.5GB/s	16GB 128-bit LPDDR4x 59.7GB/s	8GB 128-bit LPDDR4x 59.7GB/s
Storage	32GB eMMC 5.1		64GB eMMC 5.1	16GB eMMC 5.1	
Video Encode	4x 4K60 (H.265) 8x 4K30 (H.265) 16x 1080p60 (H.265) 32x 1080p30 (H.265) 30x1080p30 (H.264)		2x 4K60 (H.265/H.264) 6x 4K30 (H.265/H.264) 12x 1080p60 (H.265/H.264) 24x 1080p30 (H.265/H.264)	2x 4K60 (H.265) 4x 4K30 (H.265) 10x 1080p60 (H.265) 22x 1080p30 (H.265)	
Video Decode	2x 8K30 (H.265) 6x 4K60 (H.265) 12x 4K30 (H.265) 26x 1080p60 (H.265) 52x 1080p30 (H.265) 30x 1080p30 (H.264)		2x 8K30 (H.265) 4x 4K60 (H.265) 8x 4K30 (H.265) 18x 1080p60 (H.265) 36x 1080p30 (H.265) 24x 1080p30(H.264)	2x 8K30 (H.265) 6x 4K60 (H.265) 12x 4K30 (H.265) 22x 1080p60 (H.265) 44x 1080p30 (H.265)	
CSI Camera	Up to 6 cameras (36 via virtual channels) 16 lanes MIPI CSI-2 8 lanes SLVS-EC D-PHY 1.2 (up to 40 Gbps) C-PHY 1.1 (up to 62 Gbps)		Up to 6 cameras (36 via virtual channels) 16 lanes MIPI CSI-2 D-PHY 1.2 (up to 40 Gbps) C-PHY 1.1 (up to 62 Gbps)	Up to 6 cameras (24 via virtual channels) 14 lanes MIPI CSI-2 D-PHY 1.2 (up to 30 Gbps)	
PCIe*	8x PCIe Gen4 8x SLVS-EC 3x USB 3.1 Single Lane UFS		8x PCIe Gen4 3x USB 3.1 Single Lane UFS	1 x4 (PCIe Gen4) + 1 x1 (PCIe Gen3)	
USB*	3x USB 3.2 Gen2 (10 Gbps) 4x USB 2.0			1x USB 3.2 Gen2 (10 Gbps) 3x USB 2.0	
Networking*	1x GbE				
Power	20W - 40W		10W - 30W	10W - 20W	
Mechanical	100mm x 87mm 699-pin connector			69.6mm x 45mm 260-pin SO-DIMM connector	

JETSON Nano Series JETSON Xavier NX Series



Jetson TX2 Industrial

Jetson TX2 8G

Jetson TX2 4G

Jetson TX2 NX

	Jetson TX2i	Jetson TX2 8G	Jetson TX2 4G	Jetson TX2 NX	Jetson Nano	Jetson Nano Developer Kit
AI Performance	1.26 TFLOPS	1.33 TFLOPS		472 GFLOPS		
GPU	256-core NVIDIA Pascal™ architecture GPU				128-core NVIDIA Maxwell™ architecture GPU	
CPU	Dual-core NVIDIA Denver™ 2 64-bit CPU and quad-core Arm® Cortex®-A57 MPCore processor				Quad-core ARM® Cortex®-A57 MPCore processor	
Memory	8GB 128-bit LPDDR4 (ECC Support) 51.2GB/s	8GB 128-bit LPDDR4 59.7GB/s	4GB 128-bit LPDDR4 51.2GB/s	4GB 64-bit LPDDR4 25.6GB/s		
Storage	32GB eMMC 5.1		16GB eMMC 5.1			
Video Encode	1x 4K60 (H.265) 3x 4K30 (H.265) 4x 1080p60 (H.265)				1x 4K30 (H.265) 2x 1080p60 (H.265)	
Video Decode	2x 4K60 (H.265) 7x 1080p60 (H.265) 14x 1080p30 (H.265)				1x 4K60 (H.265) 4x 1080p60 (H.265)	
CSI Camera	Up to 6 cameras (12 via virtual channels) 12 lanes MIPI CSI-2 D-PHY 1.2 (up to 30 Gbps)			Up to 5 cameras (12 via virtual channels) 12 lanes MIPI CSI-2 D-PHY 1.1 (up to 30 Gbps)	Up to 4 cameras 12 lanes MIPI CSI-2 D-PHY 1.1 (up to 18 Gbps)	2x 15-pin 2-lane MIPI CSI-2 camera connectors
PCIe*	up to 1 x1 + 1 x4 OR 1 x1 + 1 x1 + 1 x2 (PCIe Gen2)			1 x1 + 1 x2 (PCIe Gen2)	1 x4 (PCIe Gen2)	x1 on the M.2 Key E
USB*	up to 3x USB 3.0 (5 Gbps) 3x USB 2.0			1x USB 3.0 (5 Gbps) 3x USB 2.0	1x USB 3.0 (5 Gbps) 3x USB 2.0	4x USB 3.0 Type-A connectors 1x USB 2.0 Micro-B connector
Networking*	1x GbE	1x GbE, WLAN		1x GbE		Gigabit Ethernet, M.2 Key E
Power	10W - 20W	7.5W - 15W			5W - 10W	
Mechanical	87mm x 50mm 400-pin connector			69.6mm x 45mm 260-pin SO-DIMM connector		100mm x 79mm x 30.21mm

Application Scenarios



Industrial



Aerospace



Construction



Agriculture



Healthcare



Smart Cities



Retail



Robotics & Logistics



Express Delivery



Routing Inspection



Service Industry




Cooperation

Carrier Board / Development Board



Carrier Board

Model:	Y-C1
Module:	NVIDIA Jetson TX2 8g/TX2i
Size:	87mm * 60mm * 16mm
Weight:	51g

Application Scenarios



[Want to get more information about Y-C1, Please Click here](#)



Carrier Board


Model: Y-C6

Module: NVIDIA Jetson Nano/TX2 NX
Xavier NX/Orin Nano/Orin NX


Size: 120mm * 80mm * 18mm

Weight: 78g

Application Scenarios



[Want to get more information about Y-C6, Please Click here](#)



Carrier Board


Model: Y-C7

Module: NVIDIA Jetson Nano/TX2 NX
Xavier NX/Orin Nano/Orin NX


Size: 80mm * 60mm * 16.8mm

Weight: 40g

Application Scenarios



[Want to get more information about Y-C7, Please Click here](#)



Carrier Board


Model: Y-C8

Module: NVIDIA Jetson AGX Xavier
NVIDIA Jetson AGX Orin



Size: 170mm * 170mm * 34mm

Weight: 260g

Application Scenarios



[Want to get more information about Y-C8, Please Click here](#)



Carrier Board


Model: Y-C9

Module: NVIDIA Jetson AGX Xavier
NVIDIA Jetson AGX Orin



Size: 136mm * 100mm * 20mm

Weight: 112g

Application Scenarios



[Want to get more information about Y-C9, Please Click here](#)



Carrier Board


Model: Y-C11

Module: NVIDIA Jetson ORIN NX /ORIN NANO/Xavier NX


Size: 120mm * 102mm * 23mm

Weight: 112g

Application Scenarios



[Want to get more information about Y-C11, Please Click here](#)



Carrier Board


Model: Y-C17

Module: NVIDIA Jetson ORIN NX /ORIN NANO/Xavier NX


Size: 85mm * 63mm * 18mm

Weight: 45g








Application Scenarios



[Want to get more information about Y-C17, Please Click here](#)



Compare Carrier Board Specification

							
Carrier Board	Y-C1	Y-C6	Y-C7	Y-C8	Y-C9	Y-C11	Y-C17
Module	Jetson Nano	Jetson Nano/TX2 NX /Orin Nano/Orin NX	Jetson Nano/TX2 NX/Xavier NX/Orin Nano/Orin NX	Jetson AGX Xavier/AGX Orin	Jetson AGX Xavier/AGX Orin	Jetson Xavier NX/Orin Nano/Orin NX	Jetson Xavier NX/Orin Nano/Orin NX
CSI Camera	-	2x 2 Lane MIPI	1x 2 Lane MIPI	-	-	4x 4 Lane MIPI	1x 2 Lane MIPI
Networking	1x RJ45	1x RJ45	1x Ethernet header	2x RJ45(1 reserved port)	1*RJ45	2*RJ45	-
USB	2x USB 3.0 1x Micro USB	1x USB 3.1 1x Micro USB	1x Micro USB 1x USB Type-C/1x USB 2.0	2x USB 3.0/1x Micro USB 2x USB2.0(Header)	3x USB 3.0 1x USB Type-C	4x USB 3.0 1x Micro USB	2x Type-C
SD/EMMC	Micro SD		64G EMMC	Micro SD	-		
Display	1x HDMI						-
Function Signal	2x CAN/4x GPIO /1x I2C	1x CAN/1x SPI/3x GPIO 1x GPO/2x I2C	1x CAN/4x GPIO/1x I2C	2x CAN/4x GPIO/1x SPI /1x I2C	-	2x CAN/4x GPIO/1x SPI /1x I2C	4x GPIO
Serial Port	4x 3.3V TTL	2x RS232	1x TTL/1x RS232	2x RS232	2x 3.3V TTL		
Temperature	-40° C~ +85° C						
Expansion	2x MiniPCIe		1x MiniPCIe 1x M.2 Key E	2x MiniPCIe 2x M.2 Key M	2x MiniPCIe 1x M.2 Key M	1x MiniPCIe 2x M.2 Key M 1x M.2 Key B	1x MiniPCIe 1x M.2 Key M 1x M.2 Key B
Power Supply	DC+7V~ +19V	DC+9V~ +24V		DC +12V		DC +12V ~ 24V	
Size	87mm * 60mm * 16mm	120mm * 80mm * 18mm	80mm * 60mm * 16.8mm	170mm * 170mm * 34mm	136mm * 100mm * 20mm	120mm * 102mm * 23mm	85mm * 63mm * 18mm
Weight	51g	78g	40g	260g	112g	112g	45g

*Plink-AI reserve all the right for the final explanation

Embedded System

Embedded PC

Model: SYS-2006

Module: NVIDIA Jetson Nano
NVIDIA Jetson TX2 NX
NVIDIA Jetson Xavier NX

Size: 160mm x 133mm x 90mm

Weight: 1078g

Interface

1x HDMI

1x RJ45

1x USB3.1

2x USB2.0

1x Micro USB

2x RS232

2x CAN

4x GPIO

1x I2C

1x SIM



[Want to get more information about SYS-2006, Please Click here](#)

Embedded PC

Model:	SYS-2016
Module:	NVIDIA Jetson Xavier NX NVIDIA Jetson Orin Nano NVIDIA Jetson Orin NX
Size:	190mm x 160mm x 76.3mm
Weight:	1425g

Interface

1x HDMI

3x RJ45

1x USB3.1

2x USB2.0

1x Micro USB

2x RS232

2x CAN

4x GPIO

1x I2C


1x SIM



[Want to get more information about SYS-2016, Please Click here](#)

Embedded PC

Model:	7F4
Module:	NVIDIA Jetson Xavier NX
Size:	98mm x 76mm x 42mm
Weight:	182g



[Want to get more information about 7F4, Please Click here](#)



Interface

1x Mini HDMI

1x USB Type-C

Embedded PC

Model:	8F2E1
Module:	NVIDIA Jetson AGX Xavier NVIDIA Jetson AGX Orin
Size:	430mm x 360mm x 88mm
Weight:	6050g

Interface

1x HDMI

2x RJ45

4x USB

2x RS232

2x CAN

4x GPIO

1x I2C

1x SPI



[Want to get more information about 8F2E1, Please Click here](#)

Embedded PC

Model:	8F3E1
Module:	NVIDIA Jetson AGX Xavier NVIDIA Jetson AGX Orin
Size:	198mm x 197mm x 45mm
Weight:	1340g

Interface

1x HDMI

2x RJ45

4x USB

2x RS232

2x CAN

4x GPIO

1x I2C

1x SPI



[Want to get more information about 8F3E1, Please Click here](#)

Embedded PC

Model: 8F4E1

Module: NVIDIA Jetson AGX Xavier
NVIDIA Jetson AGX Orin

Size: 335mm x 257mm x 146mm

Weight: 5500g

Interface

1x HDMI

2x RJ45

4x USB

2x RS232

2x CAN

4x GPIO

1x I2C

1x SPI



[Want to get more information about 8F4E1, Please Click here](#)

Embedded PC

Model: 8F5E2

Module: NVIDIA Jetson AGX Xavier
NVIDIA Jetson AGX Orin

Size: 238mm x 222mm x 67mm

Weight: 2590g

Interface

1x HDMI

2x RJ45

4x USB

2x RS232

2x CAN

4x GPIO

1x I2C

1x SPI



[Want to get more information about 8F5E2, Please Click here](#)

Embedded PC

Model:	9F1E1
Module:	NVIDIA Jetson AGX Xavier
Size:	167mm x 132mm x 75mm
Weight:	1061g

Interface

1x HDMI

1x RJ45

3x USB3.0

1x Micro USB

1x USB Type-C



[Want to get more information about 9F1E1, Please Click here](#)

Embedded PC

Model:	11F1E2
Module:	NVIDIA Jetson Orin Nano NVIDIA Jetson Orin NX
Size:	162mm x 202mm x 64.5mm
Weight:	1560g

Interface

1x HDMI

2x RJ45

4x USB

1x Type-B Micro USB

2x RS232

1x CAN

8x GPIO

2x RS485



[Want to get more information about 11F1E2, Please Click here](#)

Embedded PC

Model:	11F2E6
Module:	NVIDIA Jetson Orin Nano NVIDIA Jetson Orin NX
Size:	202mm x 206mm x 64.5mm
Weight:	2000g

Interface

1x HDMI

2x RJ45

4x USB

4x POE

1x Type-B Micro USB



[Want to get more information about 11F2E6, Please Click here](#)

Embedded PC

Model:	17F1
Module:	NVIDIA Jetson Xavier NX NVIDIA Jetson Orin NX NVIDIA Jetson Orin Nano
Size:	100mm x 74mm x 47mm
Weight:	235g

Interface

5G

1x OSDK

1x PSDK

1x USB Type-C

[Want to get more information about 17F1, Please Click here](#)



— Our Partners —



— Successful Case —



Security



Intelligent terminal application of forklift crane



Smart Cities




Uav mapping and planning navigation



Medical



Self-Driving



UAV environmental monitoring and emergency response



Unmanned ship water quality monitoring and garbage cleaning

If you want to know more about the successful cases, please contact us

THANKS FOR WATCHING

